

Test Report

No. C191206010001

Date: Dec 10, 2019

Page 1 of 3

Applicant: NINGBO CL SEALING CO., LTD

Applicant address: ROOM 402, BUILDING 1, WANTE BUSINESS CENTER, HIGH-TECH ZONE, NINGBO CITY, ZHEJIANG PROVINCE

The following samples were submitted and identified on behalf of the clients as

Sample Name: FEP/FPM O-ring
CPST Internal Reference No.: C191206010
Sample Received Date: Dec 06, 2019
Test Period: Dec 06, 2019 to Dec 10, 2019
Test Method: Please refer to next pages.
Test Result: Please refer to next pages.

CONCLUSION :

TESTED SAMPLES	TEST ITEM	RESULT
FEP/FPM O-ring	1. Food and Drug Administration (FDA) 21 CFR 177.1550	PASS

Signed for and on behalf of
Eurones Consumer Products Testing Service Co., Ltd

TESTED BY :

REVIEWED BY:

APPROVED BY:

David Wan

Wan Da Wei, David
Project Leader

Sunshine Liu

Liu Xiao Fang, Sunshine
Report Reviewer

Will Pan

Pan Jian Ding, Will
Technical Supervisor

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request and accessible at www.cpstlab.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in the test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law.



400 111 6218

Eurones (Dongguan) Consumer Products Testing Service Co., Ltd.

Room 1092, No.12, East Houjie Avenue, Houjie, Dongguan, Guangdong, China.

t (86-769) 38937858


f (86-769) 38937859

Http:// www.cpstlab.com

Postcode: 523945

service@cpstlab.com

Photo of the Submitted Sample



This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request and accessible at www.cpstlab.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in the test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law.



Test Report

No. C191206010001

Date: Dec 10, 2019

Page 3 of 3

Test Result(s):

Description of Specimen : Transparent material

1. Food and Drug Administration (FDA) 21 CFR 177.1550

1) Total extractives

Test Item	Test condition	Result(mg/in ²)	Limit(mg/in ²)
Total extractives in DI water	reflux for 2 hours	0.07	0.2
Total extractives in 50% ethanol		0.09	0.2
Total extractives in n-heptane		0.11	0.2
Total extractives in ethyl acetate		0.13	0.2

Note: mg/in² = milligram per square inch

< = less than

*** End of Report ***

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request and accessible at www.cpstlab.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in the test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law.



400 111 6218

Eurones (Dongguan) Consumer Products Testing Service Co., Ltd.

Room 1092, No.12, East Houjie Avenue, Houjie, Dongguan, Guangdong, China.

t (86-769) 38937858

f (86-769) 38937859

[Http:// www.cpstlab.com](http://www.cpstlab.com)

Postcode: 523945

service@cpstlab.com